

Asian Journal of Environment & Ecology

Volume 20, Issue 4, Page 19-28, 2023; Article no.AJEE.97563 ISSN: 2456-690X

# Invasive Plant Species in Ghana: Route of Spread, Socio-Economic and Environmental Impact

Joshua Dwomoh <sup>a\*</sup>, Samuel Ayetibo Ofori <sup>a</sup>, Dennis Kwabena Frimpong <sup>a</sup>, Charles Nyarko Osei <sup>a</sup>, Eldith Adongo <sup>a</sup> and Stephen Appiah <sup>a</sup>

<sup>a</sup> Department of Biological Sciences Education, College of Agriculture Education, Akenten Appiah – Menka University of Skills Training and Entrepreneurial Development, Ghana.

## Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/AJEE/2023/v20i4445

#### **Open Peer Review History:**

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: https://www.sdiarticle5.com/review-history/97563

**Review Article** 

Received: 15/02/2023 Accepted: 19/04/2023 Published: 28/04/2023

## ABSTRACT

Globally, there has been a rapid increase in biodiversity loss, these losses have been attributed to habitat loss and invasive flora and fauna species. Extensive work has been done on the losses brought about by invasive fauna species, however, the impact of invasive flora species has less been explored in Ghana. This review focused on the various alien plant species found in Ghana and the factors that support their spread, establishment, and colonization. Findings indicate that the common invasive plants in Ghana are *Chromolaema odorata, Calopogonium mucunoides, Cedrella ordorata, Leucaena leucocephala, Broussonetia papyrifera* and *Prosopis glasdulosa, Azardiracta indica, Echinochloa colona, and Leucaena leucocephala.* The economic losses and environmental impact of these plant species were also reviewed. This review revealed that there is an urgent need to initiate interventions to control the rapid spread of invasive plant species, those measures should be cost-effective and eco-friendly.

<sup>\*</sup>Corresponding author: E-mail: joshuadwomoh19@gmail.com;

Keywords: Invasive plant species; route of spread; habitat loss; biodiversity; eco-friendly; Ghana.

## **1. INTRODUCTION**

Species have migrated and colonized new areas since the dawn of time. Migrating species in some cases were unable to establish sustainable populations in new habitats and died out quickly [1]. However, other species were integrated into the structure of the ecosystem or were attributed to altering the native food chain by out-competing native competitors or decimating native prey [2]. The Ghanaian ecosystem has never been an exception to this principle.

Ghana is one of the ecological regions within the sub-Sahara region with diverse plant and animal species. The abundance of native plant and animal species has contributed to the sustenance of Ghana's ecosystem as well as its economic development [3]. The interaction between humans in the areas of international commerce i.e., flora and fauna trading and natural migration have introduced non-native species into the Ghanaian ecosystem [4]. Nonnative or invasive species are plants and animal species that have gained dominance in modifying and or disrupting the ecosystem they colonize [5]. The negative impact of non-native species on the Ghanaian ecosystem and economy keeps increasing at an alarming rate [6]. In this regard, this paper seeks to highlight the various invasive species in Ghana, the causes of invasion, factors that support their spread, and the ecological and economic effect of invasive species on the Ghanaian ecosystem and economy [7].

## 2. MATERIALS AND METHODS

A literature search was carried out on databases such as Google Scholar, Research Gate, Elsevier, Science Direct, Springer, and other scientific electronic libraries using the keywords "invasive," "non-native," "alien," and "exotic." Nuisance plant species associated with the Boolean operator "AND."

Two reviewers independently extracted the data, and by scrutinizing the publications' titles and abstracts, duplicate data was eliminated. The literature search turned up 50 relevant publications. Out of those publications, 18 were discarded since they had nothing to do with the keywords used in the literature search. The search was limited to studies conducted solely on 'invasive plant species, original publications written in English with their abstracts available were included. Before the complete papers were retrieved for in-depth reading from the remaining 32 articles, one duplicate article and four-chapter articles were eliminated. In total, 27 papers were chosen for further evaluation and data extraction to be included in this review. Fig. 1 displays a flowchart of the exclusion selection process.

Over the past decade, Ghana has recorded an increasing number of biological invasive species. These species are introduced either deliberately or inadvertently [8]. According to literature, there are about seventy different species that have invaded Ghana. They range from pathogenic microbes (viruses, fungi, and bacteria), to plants, and animals that have the potency to affect humans and the ecosystem [9]. The prominent plant invasive species identified in Ghana include: Chromolaena odorata. Calopogonium mucunoides. Cedrella odorata. Leucaena leucocephala. Broussonetia papyrifera and Prosopis glandulosa [9] Azadiracta indica, Echinochloa colona, and Leucaena leucocephala have also been identified by Ansong et al., (2019) as invasive plant species in Ghana [10]. The rapid establishment of invasive species in the Ghanaian ecosystem is still unclear, however, a study by Xu et al, (2020) suggests that invasive species grow faster than native plants causing a significant reduction in the species richness of native plants [11]. The invasive species then forms a monodominant strand which results in the suppression of the regeneration of native plant species.

### 3. FACTORS THAT SUPPORT THE SPREAD OF INVASIVE PLANT SPECIES IN GHANA

The wide spread of invasive species has been attributed to anthropogenic and environmental factors [17]. Humans moving plant parts, plant products, and wood from one ecosystem to another is considered an anthropogenic cause. Other agronomic activities, such as the movement of rootstock varieties and annuals used in reforestation and forest reclamation have also contributed to species invasion. Many invasive plant species have a unique adaptation that enhances their ability to be transported to ecosystems. plumed and new winded appendages of some seeds facilitate wind dispersal [18], seeds with bristlelike, hooked, sticky or barbed appendages can attach to humans, such structures enable them to adhere to garbs this facilitates the long-distance spread of invasive plant species. Some animals are also associated with the spread of invasive species, they feed on the fruit of plants and as a result, they disperse it through fecal matter [19]. On the other hand, nutrient resources, climate change, dispersal vectors. and interspecific, and intraspecific interactions are environmental factors that trigger invasive species' rapid spread in the areas they colonize. A study has indicated that such factors may either occur within the local environment resulting in rapid population expansions [17]. These factors have also been explained below.

#### **3.1 Nutrient Resources**

Invasive species can disrupt an ecosystem's food web by destroying or replacing native nutrient sources [20]. They can also alter the abundance or diversity of native wildlife-friendly species. Destructive invasive species can swiftly replace a diverse ecosystem with a monoculture invasive species and cause changes in preexisting ecosystem conditions, such as changing the structure, chemical, or nutrient composition of the soil [5]. The notable invasive plant species that are thought to have the ability to alter the soils nutrient composition to their benefit and at the expense of native species are *Ageratina Adenophora* and *Tectona glandis* [21].

## 3.2 Climate Change

The change in atmospheric weather and climatic conditions is having a greater impact on invasive species [16]. The exponential rise in abiotic factors such as temperature, rainfall, humidity, and drought have the potency to facilitate the rapid spread and colonization of new invasive species [22]. Invasive plant species that adapt to Climate change include; Pistia stratiotes, Azolla filiculoides. Mvriophvllum aquaticum and Eichhornia crassipes and Salvinia molesta. These species of invasive plants have been documented to have adjusted well in the rapidly changing climatic condition of Ghanaian aquatic ecosystem [21].




Fig. 1. PRISMA flow chart Source: Survey data, 2023

Scientific name	Common name	Family	<b>Biological type</b>	Biogeographical type	Akan name	Ref.
Azadirachta indica A.Juss.	Neem	Meliaceae	Tree	Native	Nim	[9]
Broussonetia papyrifera (L.) L'Her. ex Vent.	Paper mulberry	Moraceae	Tree	Non-Native	-	[7], [12]
Calopogonium brachycarpum Hemsl.	Butterfly bean	Fabaceae	Vine	Native	Owia	[13]
Cedrela odorata L.	Spanish cedar	Meliaceae	Tree	Non-Native	Bonsa	[7]
Ceratophyllum demersum	Coontail	Ceratophyllaceae	Aquatic	Native	obra ntini	[9]
Chromolaena odorata (L.) R.M.King & H.Rob.	Siam weed	Asteraceae	Herb	Non-Native	Akitinkra	[14]
Echinochloa colona (L.)	Jungle rice	Poaceae	Grass	Native	nkruma ayɛm	[10]
Eichhornia crassipes	Water hyacinth	Pontederiaceae	Aquatic	Non-Native	Anokyekye	[15]
Leucaena leucocephala (Lam.) de Wit	White leadtree	Fabaceae	Tree	Non-Native	kpaligu	[13]
Pistia stratiotes	Water lettuce	Araceae	Aquatic	Non-Native	obra pε	[16]
Prosopis glandulosa Torr.	Honey mesquite	Fabaceae	Tree	Non-Native	Bo	[7]
Salvinia molesta	Giant salvinia	Salviniaceae	Aquatic	Non-Native	Nsia	[9],[7]
Striga hermonthica	Witchweed	Orobanchaceae	Herb	Native	Tannaa	[10]
Vallisneria spiralis/gigantea	Eelgrass	Hydrocharitaceae	Aquatic	Native	-	[9]

## Table 1. List of invasive species

#### Dwomoh et al.; Asian J. Env. Ecol., vol. 20, no. 4, pp. 19-28, 2023; Article no.AJEE.97563





Ageratina Adenophora



Tectona glandis

## Fig. 3. Invasive plant species that can alter the soils nutrient composition

Source:https://www.inaturalist.org/taxa/64114-Ageratina-adenophora, https://greencleanguide.com/economicimportance-of-tectona-grandis/

#### 3.3 Dispersal Vectors

How invasive species spread within an ecosystem is dependent on vectors that carry

them. Usually, the vectors are humans or inanimate objects such as a vehicle [23]. Spores or propagules of exotic plants can attach to vehicles and be transported to a new region, when favorable conditions prevail, they can spread and colonize the entire region [24]. Aside from vehicles, roads have proven to be the next dispersal vector interns of spreading terrestrial exotic plant species and plant diseases [25]. Such species include Dandelion oficinate, Tridax procumbens. Gossypium herbaceum, Chromolaena odorata, [21].

#### 4. INTERSPECIFIC, AND INTRASPECIFIC INTERACTIONS

Though other studies have suggested that the intensity of interspecific competition between native and invasive species may vastly exceed



Pistia stratiotes



Myriophyllum aquaticum



Salvinia molesta

the impact of intraspecific competition within species due to limited resources, classical competition theory predicts that intraspecific competition should be greater than the interspecific competition because individuals within one species require similar resource conditions [26]. The ability to compete across species and within species is a key factor in the population dynamics and invasiveness of alien plants in newly introduced habitats [27]. Given that many invasive clonal plants form dense monospecific stands in the invaded range and those stoloniferous clonal plants grow in diameter rather than height, intraspecific competition within clonal plants is likely to be very strong [28].



Azolla filiculoides



Eichhornia crassipes

Fig. 4. Invasive plant species that adapt to climate change in Ghana Sources: https://www.thespruce.com/water-lettuce-profile-5186151, https://www.flickr.com/photos/lliam-all-botanical/17333272599



Gossypium herbaceum



Tridax procumbens



Chromolaena odorata



Fig. 5. Dispersal vector Invasive plant species Ghana Source: https://portal.wiktrop.org/species/show/333

Additionally, what scientists refer to as the "invasion meltdown" may result from the treacherous competition between invasive species and native flora for resources that control the function of the ecosystem [5,20]. According to the invasion meltdown hypothesis, the emergence of one invasive species in a new environment facilitates the invasion of other non-native species [29].

## 5. ECOLOGICAL AND ENVIRONMENTAL IMPACT OF INVASIVE PLANT SPECIES

Biodiversity provides enormous benefits to the global food and nutritional security have been attributed to the world's biodiversity, and some potent drugs were also discovered from biodiversity [30,31]. Invasive plant species have diverse effects on the services that biodiversity provides globally. The impact of invasion is mostly observed through socio-economic and human health assessments [32]. Studies have revealed that the havoc of invasive species occurs by three major mechanisms; reduction in the diversity of native plants and animals, notable variations in Physico-chemical characteristics of soils (mostly through allelopathy), and

enhancement in ecosystems' response towards altered fire regimes [20]. These mechanisms have the propensity to contribute towards the extinction of certain vital plant species, this intern disrupts the food chain, and how nutrient cycles through the environment. Humans are highly affected as we virtually derive everything, we need to survive from plants from the air humans breathe, food, and medicine to clothes.

Aquatic weed infestation is a prevalent issue in many water bodies across Ghana, with varying degrees of severity. Several species of floating invasive water weeds, such as Pistia stratiotes (water lettuce). Eichhornia crassipes (water hyacinth) and Salvinia molesta (Kariba weed) as well as submerged weeds like Ceratophyllum demersum and Vallisneria spiralis/gigantea. pose significant threats to various water bodies in Ghana [13]. Notably affected rivers include the Oti River, the Tano-Abby Lagoon Complex, the Kpong Head pond, and the Lower Volta River [14]. Invasive aquatic weeds pose a significant threat to riverine communities, affecting public health, water supply, fishing, water and transportation [33]. They provide a habitat for host snails of the bilharzia parasite, leading to a high prevalence of bilharzia. Additionally, the weeds cause water shortages, as they result in evapotranspiration loss [34].

The presence of Striga hermonthica, commonly known as witch weed, in Ghana, poses a significant threat to cereal and legume crops by competing for essential nutrients and causing substantial yield losses. Similarly, Broussonetia papyrifera, also known as Paper Mulberry, is an invasive alien species that pose a significant threat to the River Afram Headwaters Forest Reserve [12]. This plant exhibits aggressive growth, over shading tendencies, and high water absorption rates, leading to the destruction of major food and cash crops like maize, cassava, cocoyam, and cocoa. A study conducted in Amentia and Abofour communities of Ghana in demonstrated that the severity of 2007 infestation by Paper Mulberry can lead to a decrease in land rentals by up to 50% [35]. Additionally, the study established that the yield of maize and cassava can decrease by 75% and 90%, respectively, due to the invasive nature of Paper Mulberry [13]. A clear example of this can be seen in the case of paper mulberry in the Afram Head Waters Forest Reserve. Massive bushfires in 1983 created an environment that was high, as they reduced the competition for the mulberry by destroying other plant species [36]. As a result, the mulberry was able to spread and establish itself in the new environment. However, the success of the mulberry came at a cost as it negatively impacted the native flora and fauna, which had co-evolved in the ecosystem over millennia [37].

## 6. THE ECONOMIC IMPACT OF INVASIVE PLANT SPECIES

In the quest to improve human welfare in the area of agricultural productivity some exotic breeds of plants are introduced to increase productivity, these species tend to create economic havoc [38]. Souza et al., (2018) have indicated some invasive species have a detrimental effect on the economy, environment, and native inhabitants through the alteration of water quality. The invasion of some plants in the aquatic habitat has reduced the fish population and ecotourism [39]. Millions of plants that are of benefit to man have been wiped off as a result of the invasion of non-native plant species. The economic impact of invasive species on livestock production include disruption of grazing practices, reduction in forage yield and increased cost of managing and producing livestock, slowing animal weight gain, and reducing the quality of animal products [19]

The presence of invasive plant species does not only affect native plants but a greater effect is targeted on humans and the environment. Which tends to adversely affect the socio-economic status, especially for people living in low- and middle-income countries.

## 7. CONCLUSION AND RECOMMENDA-TION

Although aside from habitat destruction, invasive species are the second leading cause of depletion and extinction of biodiversity. Its effects on native species are adversely resulting in the interruption of ecosystem services. Nevertheless, the rapid spread of invasive species is attributed to anthropogenic and environmental factors. If such factors continue, the long-term implication will be the emergence of newer invasive plant species, which will harm humans, the environment, and ecosystems.

However, with the route of spread, establishment, and colonization of invasive plant species defined, we can sustainably control the mechanisms of spread when the appropriate measures are put in place. Ecologists and Environmental Scientists who specialize in studying invasive species should empathize with the chemical ecology of invasive and native plant species interactions and its contribution to the loss of biodiversity. In-depth studies should be made on how climate change and unsustainable agricultural activities are contributing to the widespread invasion. Also, given the diverse impact of invasive plant species, there is a timely need to formulate and prioritize cost-effective and ecologically friendly approaches to curb or manage invasive plant species. These practices should be integrated into both natural and Agroecosystems. There is also the need for the global scientific community to unite in devising a common effective approach to safeguard the biodiversity losses that are brought about as a result of invasive plant species.

## **COMPETING INTERESTS**

Authors have declared that no competing interests exist.

## REFERENCES

1. Vinson MR, et al. "Trophic ecology." Lake Charr Salvelinus Namaycush Biol. Ecol. Distrib. Manag. 2021:287–314.

- Shelef O, Weisberg PJ, Provenza FD. "The value of native plants and local production in an era of global agriculture." 2017;8(December):1–15. DOI: 10.3389/fpls.2017.02069
- 3. Billé R, Lapeyre R. Pirard R. "Biodiversity conservation and poverty alleviation: A way out of the deadlock?" S.a.P.I.En.S, 2012;5(1).
- 4. Stanturf JA, et al. Forest landscape restoration as a key component of climate change mitigation and adaptation. 2015;34.
- 5. Pyšek P, et al. "Scientists' warning on invasive alien species." Biol. Rev. 2020;95(6).

DOI: 10.1111/brv.12627

- Kugbe JX, Mathias F, Desta TL, Denich M, Vlek PLG. "Annual vegetation burns across the northern savanna region of Ghana: Period of occurrence, area burns, nutrient losses and emissions." Nutr. Cycl. Agroecosystems. 2012;93:265–284.
- Osei MK, Frimpong-Anin K, Adjebeng-Danquah J, Frimpong BN, Adomako J. "Invasive Alien Species (IAS) of Ghana." Invasive Alien Species. 2021; 1:145–172.

DOI: 10.1002/9781119607045.ch5.

- Holmes TP, Aukema JE, Von Holle B, Liebhold A, Sills E. "Economic impacts of invasive species in forests: Past, present, and future." Annals of the New York Academy of Sciences. 2009;1162. DOI: 10.1111/j.1749-6632.2009.04446.x
- 9. G. Ministries of Environment Science and Innovation, "National Biodiversity Strategy and Action Plan." 2016(November).
- Ansong M, et al. "Naturalized and invasive alien flora of Ghana." Biol. Invasions. 2019;21(3). DOI: 10.1007/s10530-018-1860-7
- Xu QY, Wang D, Quan GM, Xiang HM, Zhang JE. "Invasive chromolaena odorata species specifically affects growth of its cooccurring weeds." Ann. N. Y. Acad. Sci. 2020;1470(1). DOI: 10.1111/nyas.14330
- 12. Bosu PP, Apetorgbor MM. "Bronssonetia papyrifera in Ghana. Its invasiveness, impact and control attempts." FAO, Rome, Italy; 2010.
- 13. Akpabey FJ. "Quantification of the crosssectoral impacts of waterweeds and their control in Ghana." Rhodes University; 2012.

- 14. Asante FA, Amuakwa-Mensah F. "Climate change and variability in Ghana: Stocktaking." Climate, 2014;3(1):78–101.
- 15. Asante F, Guodaar L, Arimiyaw S. "Climate change and variability awareness and livelihood adaptive strategies among smallholder farmers in semi-arid northern Ghana." Environ. Dev. 2021;39:100629.
- 16. Finch DM, et al. "Effects of climate change on invasive species." In Invasive Species in Forests and Rangelands of the United States; 2021.

DOI: 10.1007/978-3-030-45367-1\_4

 Crooks JA, Soulé ME. "Lag times in population explosions of invasive species: Causes and implications." In Invasive Species and Biodiversity Management; 1999.

DOI: 10.1007/978-94-011-4523-7\_7

- Gaol ML, Mudita IW. "The structure, composition, and health of remnant forest vegetation of west timor, Indonesia." Asian J. Environ. Ecol; 2020. DOI: 10.9734/ajee/2020/v13i430186
- Kumar P, Singh JS. "Invasive alien plant species: Their impact on environment, ecosystem services and human health." Ecol. Indic. 2019;111(October):106020. DOI: 10.1016/j.ecolind.2019.106020
- Pyšek P, Richardson DM. "Invasive species, environmental change and management, and health." Annu. Rev. Environ. Resour. 2010;35.
  DOI: 10.1146/annurev-environ-033009-095548
- 21. Osei J, Frimpong-Anin MK, Adjebeng-Danquah J, Frimpong BN, Adomako. "Invasive Alien Species (IAS) of Ghana." Invasive Alien Species Obs. Issues from Around World; 2021.
- 22. Germaine AJW. "Earth's energy budget impact on grassland diseases." In Grasses and Grassland-New Perspectives, IntechOpen; 2022.
- 23. Sanu PV, Newport JK. "Invasive alien species dispersal: The millennium biodiversity disaster." Disaster Prev. Manag. An Int. J. 2010;19(3). DOI: 10.1108/09653561011052475
- 24. Panzavolta T, Bracalini M, Benigno A, Moricca S. "Alien invasive pathogens and pests harming trees, forests, and plantations: Pathways, global consequences and management." Forests. 2021;12(10.. DOI: 10.3390/f12101364.

- Gioria M, O'flynn C, Osborne BA. "Managing invasions by terrestrial alien plants in ireland: Challenges and opportunities." Biol. Environ. 2019;119B(1): 37–61. DOI: 10.3318/bioe.2019.04
- 26. Adler PB, et al. "Competition and communities: coexistence in plant Intraspecific competition is stronger than interspecific competition." Ecol. Lett. 2018:21(9):1319-1329. DOI: 10.1111/ele.13098
- Mangla S, Sheley RL, James JJ, Radosevich SR. "Intra and interspecific competition among invasive and native species during early stages of plant growth." Plant Ecol. 2011;212(4). DOI: 10.1007/s11258-011-9909-z
- 28. Wang YJ, Chen D, Yan R, Yu FH, van Kleunen M. "Invasive alien clonal plants are competitively superior over cooccurring native clonal plants." Perspect. Plant Ecol. Evol. Syst. 2019;40:125484.
- 29. Simberloff D, Von Holle B. "Positive interactions of nonindigenous species: Invasional meltdown?" Biol. Invasions. 1999;(1):21–32.
- 30. Verma AK. Necessity of ecological balance for widespread biodiversity; 2017.
- Johns T, Powell B, Maundu P, Eyzaguirre PB. "Agricultural biodiversity as a link between traditional food systems and contemporary development, social integrity and ecological health." J. Sci. Food Agric. 2013;93(14). DOI: 10.1002/jsfa.6351

- Bacher S, et al. "Socio-Economic Impact Classification of Alien Taxa (SEICAT)." Methods Ecol. Evol. 2018;9(1). DOI: 10.1111/2041-210X.12844
- Sundarapandian SM, Muthumperumal C, Subashree K. "Biological invasion of vines, their impacts and management." Biodivers. Lianas. 2015:211–253,.
- 34. Colley DG, et al. "Human schistosomiasis." Lancet. 2014;383(9936):2253–2264.
- 35. Apetorgbor MM, Bosu PP. "Occurrence and control of paper mulberry (brousso etia papyrifera) in Southern Ghana." Ghana J. For. 2011;27(2):40–51.
- 36. Bosu PP, et al. "The impact of *Broussonetia papyrifera* (L.) vent. on community characteristics in the forest and forest–savannah transition ecosystems of Ghana." Afr. J. Ecol. 2013;51(4):528–535.
- 37. Abonkrah CK. "Environmental and natural resources management and sustainable rural development in the Atebubu District, Ghana." Ohio University; 2004.
- Souza AO, et al. "Local ecological knowledge concerning the invasion of Amerindian lands in the Northern Brazilian Amazon by Acacia mangium (Willd.)." Journal of Ethnobiology and Ethnomedicine. 2018;14(1). DOI: 10.1186/s13002-018-0231-x
- Kumar Rai P, Singh JS. "Invasive alien plant species: Their impact on environment, ecosystem services and human health." Ecological Indicators. 2020;111. DOI: 10.1016/j.ecolind.2019.106020

© 2023 Dwomoh et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history: The peer review history for this paper can be accessed here: https://www.sdiarticle5.com/review-history/97563